

Website: https://www.abbkine.com

HDAC1 Polyclonal Antibody

Cat #: ABP53226 Size: 30µl /100µl /200µl

Product Information

| | Product Name: HDAC1 Polyclonal Antibody | | | |
|-----|--|-------------|------------------------------------|--|
| | Applications: WB, IHC-P, ELISA | | Isotype: Rabbit IgG | |
| | Reactivity: Human, Mouse, Rat | | | |
| REF | Catalog Number: ABP53226 | LOT | Lot Number: Refer to product label | |
| | Formulation: Liquid | | Concentration: 1 mg/ml | |
| Ĵ/ | Storage: Store at -20°C. Avoid repeated freeze / thaw cycles. | \triangle | Note: Contain sodium azide. | |

Background: Histone acetylation and deacetylation, catalyzed by multisubunit complexes, play a key role in the regulation of eukaryotic gene expression. Histone deacetylase 1 encoded by HDAC1 belongs to the histone deacetylase/acuc/apha family and is a component of the histone deacetylase complex. It also interacts with retinoblastoma tumor-suppressor protein and this complex is a key element in the control of cell proliferation and differentiation. Together with metastasis-associated protein-2, it deacetylates p53 and modulates its effect on cell growth and apoptosis.

<u>Application Notes</u>: Optimal working dilutions should be determined experimentally by the investigator. Suggested starting dilutions are as follows: WB (1:500-1:2000), IHC-P (1:100-1:300), ELISA (1:20000). Not yet tested in other applications.

<u>Storage Buffer</u>: PBS containing 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.

Storage Instructions: Stable for one year at -20°C from date of shipment. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap. Aliquot to avoid repeated freezing and thawing.

| 170- 100- 70- 55- 40- 35 25 | Fig.1. Western Blot analysis of HepG2 cells using HDAC1 Polyclonal Antibody. Secondary antibody (catalog#: A21020) was diluted at 1:20000. |
|---|--|
| 15 | |






Fig.2. Immunohistochemical analysis of paraffinembedded human-tonsilla, antibody was diluted at 1:100.

Note: The product listed herein is for research use only and is not intended for use in human or clinical diagnosis. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license. We cannot be responsible for patent infringements or other violations that may occur with the use of this product.

