

RPB494Ra01 50µg

**Recombinant Fibromodulin (FMOD)** 

**Organism Species: Rattus norvegicus (Rat)** 

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



## [PROPERTIES]

**Source:** Prokaryotic expression.

Host: E. coli

Residues: Gln19~lle376
Tags: N-terminal His-Tag

**Subcellular Location:** Secreted, extracellular space, extracellular matrix.

**Purity: >92%** 

**Traits:** Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300.

Original Concentration: 200ug/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.6

Predicted Molecular Mass: 45.0kDa

Accurate Molecular Mass: 45kDa as determined by SDS-PAGE reducing conditions.

### [USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

# [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

# [SEQUENCE]

QY EEDSHWWLQY LRNQQSTYYD PYDTYPYETS
DPYPYEVEEG PAYAYGAPPP PEPRDCPQEC DCPPNFPTAM YCDNRNLKYL
PFVPSRMKYV YFQNNQIAAI QEGVFDNATG LLWIALHGNQ ITSDKIGRKV
FSKLRHLERL YLDHNNLTRM PGPLPRSLRE LHLDHNQISR VPNNALEGLE
NLTALYLHHN EIQEVGSSMR GLRSLILLDL SYNHLRRVPD GLPSALEQLY
LEHNNVYTVP DSYFRGSPKL LYVRLSHNSL TNNGLATNTF NSSSLLELDL
SYNQLQKIPP VNTNLENLYL QGNRINEFSI SSFCTVVDVM NFSKLQVLRL
DGNEIKRSAM PVDAPLCLRL ASLIEI

#### [IDENTIFICATION]




Figure 1. SDS-PAGE