

RPA545Mu01 10 μ g

Recombinant Immunoglobulin E (IgE)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residuess: Ser1~Ser421

Tags: N-terminal His Tag

Tissue Specificity: n/a

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.1

Predicted Molecular Mass: 51.0kDa

Accurate Molecular Mass: 51kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

SIRNPQLYPL KPCKGTASMT LGCLVKDYFP NPVTVTWYSD SLNMSTVNFP ALGSELKVTT SQVTSWGKSA KNFTCHVTHP
PSFNESRTIL VRPVNITEPT LELLHSSCDP NAFHSTIQLY CFIYGHILND VSVSWLMDDR EITDTLAQTV LIKEEGKLAS
TCSKLNITEQ QWMSESTFTC KVTSQGVGYL AHTRRCPDHE PRGVITYLIP PSPLDLYQNG APKLTCLVVD LESEKNVNVT
WNQEKKTSVS ASQWYTKHHN NATTSITSIL PVVAKDWIEG YGYQCIVDHP DFPKPIVRSI TKTPGQRSAP EYVVFPPPEE
ESEDKRTLTC LIQNFFPEDI SVQWLGDGKL ISNSQHSTTT PLKSNGSNQG FFIFSRLEVA KTLWTQRKQF TCQVIHEALQ
KPRKLEKTIS TSLGNTSLRP S

[IDENTIFICATION]




Figure. SDS-PAGE