

| Product | Code | Packing |
|---|--|-------------------------------|
| Amino Acids | | |
| N-Acetyl-L-cysteine (From non-animal source) Cell Culture Tested $C_3H_7NO_2S$ MW : 163.19 CAS : 616-91-1 Assay : $\geq 98\%$ Store at 2 - 8°C | TC054-5G TC054-25G TC054-100G | 5gm 25gm 100gm |
| N-Acetyl-L-tyrosine (From non-animal source) Cell Culture Tested $C_{11}H_{13}NO_4$ MW : 223.23 CAS : 537-55-3 Assay : $\geq 98\%$ Store at 2 - 8°C | TC055-5G TC055-25G TC055-100G | 5gm 25gm 100gm |
| L-Alanine (From non-animal source) Cell Culture Tested $C_3H_7NO_2$ MW : 89.09 CAS : 56-41-7 Assay : $\geq 99\%$ Store below 30°C | TC056-25G TC056-100G TC056-500G TC056-1KG | 25gm 100gm 500gm 1kg |
| L-Alanyl-L-glutamine (Glutamine-S) Cell Culture Tested $C_8H_{15}N_2O_4$ MW : 217.22 CAS : 39537-23-0 Assay : $\geq 98\%$ Store below 30°C | TC089-5G TC089-25G TC089-100G | 5gm 25gm 100gm |
| L-Arginine (From non-animal source) Cell Culture Tested $C_6H_{14}N_4O_2$ MW : 174.2 CAS : 74-79-3 Assay : $\geq 98\%$ Store below 30°C | TC052-25G TC052-100G TC052-500G TC052-1KG | 25gm 100gm 500gm 1kg |
| L-Arginine monohydrochloride (From non-animal source) Cell Culture Tested $C_6H_{14}N_4O_2 \cdot HCl$ MW : 210.66 CAS : 1119-34-2 Assay : $\geq 98.5\%$ Store below 30°C | TC053-25G TC053-100G TC053-500G TC053-1KG | 25gm 100gm 500gm 1kg |
| L-Asparagine monohydrate (From non-animal source) Cell Culture Tested $C_4H_8N_2O_4 \cdot H_2O$ MW : 150.13 CAS : 5794-13-8 Assay : $\geq 99\%$ Store below 30°C | TC057-25G TC057-100G TC057-500G TC057-1KG | 25gm 100gm 500gm 1kg |
| L-Aspartic acid (From non-animal source) Cell Culture Tested $C_4H_7NO_4$ MW : 133.1 CAS : 56-84-8 Assay : $\geq 99\%$ Store below 30°C | TC059-25G TC059-100G TC059-500G | 25gm 100gm 500gm |

| Product | Code | Packing |
|--|--|-------------------------------|
| L-Cysteine hydrochloride monohydrate (From non animal source) Cell Culture Tested $C_3H_7NO_2S \cdot HCl \cdot H_2O$ MW : 175.63 CAS : 7048-04-6 Assay : $\geq 98.5\%$ Store below 30°C | TC058-25G TC058-100G TC058-500G TC058-1KG | 25gm 100gm 500gm 1kg |
| L-Cysteine (From non-animal source) Cell Culture Tested $C_3H_7NO_2S$ MW : 121.16 CAS : 52-90-4 Assay : $\geq 98\%$ Store below 30°C | TC060-25G TC060-100G TC060-500G TC060-1KG | 25gm 100gm 500gm 1kg |
| L-Cystine (From non animal source) Cell Culture Tested $C_6H_{12}N_2O_4S_2$ MW : 240.3 CAS : 56-89-3 Assay : $\geq 98.5\%$ Store below 30°C | TC070-25G TC070-100G TC070-500G TC070-1KG | 25gm 100gm 500gm 1kg |
| L-Cystine dihydrochloride (From non animal source) Cell Culture Tested $C_6H_{12}N_2O_4S_2 \cdot 2HCl$ MW : 313.22 CAS : 30925-07-6 Assay : $\geq 98.5\%$ Store below 30°C | TC062-25G TC062-100G TC062-500G TC062-1KG | 25gm 100gm 500gm 1kg |
| L-Glutamic acid (From non-animal source) Cell Culture Tested $C_5H_9NO_4$ MW : 147.13 CAS : 56-86-0 Assay : $\geq 98.5\%$ Store below 30°C | TC074-25G TC074-100G TC074-500G TC074-1KG | 25gm 100gm 500gm 1kg |
| L-Glutamic acid monosodium monohydrate (From non-animal source) Cell Culture Tested $C_5H_9NNaO_4 \cdot H_2O$ MW : 187.13 CAS : 6106-04-3 Assay : $\geq 99\%$ Store below 30°C | TC064-100G TC064-500G TC064-1KG | 100gm 500gm 1kg |
| L-Glutamine (From non-animal source) Cell Culture Tested $C_5H_9N_2O_3$ MW : 146.14 CAS : 56-85-9 Assay : $\geq 99\%$ Store below 30°C | TC243-10G TC243-25G TC243-100G TC243-1KG | 10gm 25gm 100gm 1kg |
| Glycine Cell Culture Tested $C_2H_5NO_2$ MW : 75.07 CAS : 56-40-6 Assay : $\geq 98\%$ Store below 30°C | TC075-100G TC075-1KG | 100gm 1kg |
| L-Histidine (From non-animal source) Cell Culture Tested $C_6H_9N_3O_2$ MW : 155.15 CAS : 71-00-1 Assay : $\geq 98.5\%$ Store below 30°C | TC076-100G TC076-500G TC076-1KG | 100gm 500gm 1kg |