

| Product   | Code       | Packing |
|---|------------|---------|
| <b>Lactose monohydrate</b><br>(Milk Sugar)<br>Cell Culture Tested<br>$C_{12}H_{22}O_{11} \cdot H_2O$<br>MW : 360.31 CAS : 64044-51-5<br>Assay : $\geq 99\%$<br>Store below 30°C                     | TC144-500G | 500gm   |
|   | TC144-5KG  | 5kg     |
| <b>Maltose monohydrate</b><br>Cell Culture Tested<br>$C_{12}H_{22}O_{11} \cdot H_2O$<br>MW : 360.31 CAS : 6363-53-7<br>Assay : $\geq 95\%$<br>Store below 30°C                                      | TC148-100G | 100gm   |
|   | TC148-500G | 500gm   |
|   | TC148-1KG  | 1kg     |
| <b>D-Mannitol</b><br>Mannite<br>Cell Culture Tested<br>$C_6H_{14}O_6$<br>MW : 182.17 CAS : 69-65-8<br>Assay : $\geq 99\%$<br>Store below 30°C   | TC513-25G  | 25gm    |
|   | TC513-100G | 100gm   |
| <b>D-(+)-Mannose</b><br>Cell Culture Tested<br>$C_6H_{12}O_5$<br>MW : 180.16 CAS : 3458-28-4<br>Assay : $\geq 99\%$<br>Store below 30°C   | TC150-25G  | 25gm    |
|   | TC150-100G | 100gm   |
|   | TC150-500G | 500gm   |
| <b>D-(+)-Raffinose pentahydrate</b><br>(Melitose; Melitriose)<br>Cell Culture Tested<br>$C_{18}H_{32}O_{16} \cdot 5H_2O$<br>MW : 594.51 CAS : 17629-30-0<br>Assay : $\geq 98\%$<br>Store below 30°C | TC162-25G  | 25gm    |
|   | TC162-100G | 100gm   |
|   | TC162-500G | 500gm   |
| <b>D-(-)-Ribose</b><br>Cell Culture Tested<br>$C_5H_{10}O_5$<br>MW : 150.13 CAS : 50-69-1<br>Assay : $\geq 99\%$<br>Store at 2 - 8°C  | TC168-25G  | 25gm    |
|   | TC168-100G | 100gm   |
| <b>D-(-)-Sorbitol</b><br>Cell Culture Tested<br>$C_6H_{14}O_6$<br>MW : 182.17 CAS : 50-70-4<br>Assay : $\geq 98\%$<br>Store below 30°C  | TC170-500G | 500gm   |
|   | TC170-1KG  | 1kg     |
|   | TC170-5KG  | 5kg     |
| <b>Sucrose</b><br>Cell Culture Tested<br>$C_{12}H_{22}O_{11}$<br>MW : 342.30 CAS : 57-50-1<br>Store below 30°C  | TC048-500G | 500gm   |
|   | TC048-1KG  | 1kg     |
|   | TC048-5KG  | 5kg     |
| <b>D(+)- Trehalose dihydrate</b><br>Cell Culture Tested<br>$C_{12}H_{22}O_{11} \cdot 2H_2O$<br>MW : 378.33 CAS : 6138-23-4<br>Assay : $\geq 98\%$<br>Store below 30°C                               | TC177-10G  | 10gm    |
|   | TC177-25G  | 25gm    |
|   | TC177-100G | 100gm   |

| Product   | Code       | Packing |
|---|------------|---------|
| <b>Carrier Proteins</b>   |            |         |
| <b>AlbuXL™</b><br>Cell Culture Tested<br>Store at 2 - 8°C   | TC265-25G  | 25gm    |
|   | TC265-100G | 100gm   |
| <b>Bovine serum Albumin</b><br>Cell Culture Tested<br>Ultra-low IgG<br>Store at 2 - 8°C   | TC545-5G   | 5gm     |
|   | TC545-25G  | 25gm    |
|   | TC545-100G | 100gm   |
|   | TC545-500G | 500gm   |
| <b>Bovine serum Albumin</b><br>Cell Culture Tested<br>Protease free, Diagnostic grade<br>Store at 2 - 8°C   | TC546-5G   | 5gm     |
|   | TC546-25G  | 25gm    |
|   | TC546-100G | 100gm   |
|   | TC546-500G | 500gm   |
| <b>Bovine serum Albumin</b><br>Cell Culture Tested<br>Manufacturing grade<br>New Zealand/ Australia origin<br>Store at 2 - 8°C  | TC548-5G   | 5gm     |
|   | TC548-25G  | 25gm    |
|   | TC548-100G | 100gm   |
|   | TC548-500G | 500gm   |
| <b>Bovine serum Albumin Fraction-V</b><br>Cell Culture Tested<br>Store at 2 - 8°C   | TC194-5G   | 5gm     |
|   | TC194-25G  | 25gm    |
|   | TC194-100G | 100gm   |
|   | TC194-500G | 500gm   |
| <b>Bovine Serum Albumin, pH 7.0</b><br>Low Fatty acid<br>Cell Culture Tested<br>Store at 2 - 8°C  | TC348-10G  | 10gm    |
|   | TC348-25G  | 25gm    |
|   | TC348-50G  | 50gm    |
| <b>Human serum albumin</b> <span style="color: red; font-weight: bold;">New</span><br>Low Fatty acid<br>Cell Culture Tested<br>MW : 66.4 kDa CAS : 70024-90-7<br>Store at 2 - 8°C | TC613-1G   | 1gm     |
|   | TC613-5G   | 5gm     |
|   | TC613-25G  | 25gm    |
|   |            |         |

Refer Page no. 402 for more details